






MODEL NO		QLEX-NEC-250
MATERIAL		HOUSING ( SIDE COVER ) - AL
		HOUSING ( END COVER ) - AL
		LENS ( GLOBE ) - PC
COLOR OF LENS		TRANSLUCENT
USE VOLT.	CURRENT	DC24V : 0.37A
PROTECTION GRADE		CLASS1, DIV2, Group A,B,C,D T6
		CLASS1, Zone2, AEx db IIC T6 Gb
CABLE ENTRY		M20xP1.5 or NPT1/2



ISO2768-1 : CLASS OF TOLERANCE						SURFACE FINISH	-	-	-	-	1	-		
FOR LINEAR DIMENSIONS		f	m	Ⓒ	v		Nr.	DWG. NO.		TITLE/ NAME		MAT'L	QT'Y	REFERENCE
	0.5~3	±0.05	±0.1	±0.2	-		DSND BY J.Y. KIM	CHKD BY J.Y. KIM		APRV BY W.J. KIM	VIEW 3	DATE 2023.06.15		
	3~6			±0.3	±0.5									
	6~30	±0.1	±0.2	±0.5	±1									
	30~120	±0.15	±0.3	±0.8	±1.5									
	120~400	±0.2	±0.5	±1.2	±2.5									
400~1000	±0.3	±0.8	±2	±4										
FOR ANGULAR DIMENSIONS	0~10	±1°		±1°30'	±3°				DWG. NO.		QLEX-NEC-250			
	10~50	±0°30'		±1°	±2°				SCALE		SIZE	REV	SHEET	
	50~120	±0°20'		±0°30'	±1°				1/2		A4	00	1/1	
	120~400	±0°10'		±0°13'	±0°30'									



6 A4(297X210)